

ZSDPB-250C Model Auto Blister Packaging Machine



It is the latest generation product in our company adopting micro-computer PLC, man-machine interface operation, with frequency Converter, high automation, ease of operation, novel figure, all-round-functions, advanced technology, stable running, durable life, qualified with GMP. It is an ideal blister packaging machine for aluminum-aluminum, aluminum-plastic, paper-plastic. And it has got high popularity. The products have been appraised as the provincial science and technology accomplishments.

Features:

The heat sealing station is fixed, the distances between forming, indent station and impressing, punching etc. Units can be adjusted freely on the same plane; it is suitable for all assortments of dimensions with high precision, strong adaptability.

Flat structure, registration heating, mechanic forming, up and down moiré, air cylinder heating sealing, adjustable stroke, ease of operation.

Main transmission adopts imported gear reducer, with excellent performance, lower noise, long life, stable operation.

Digitization and adjustable travel rage, easy to operate, which fits for the packing of different kinds of medicine-card, especially the packing of small quantity and many varieties products.

Notes: It can be added ink-jet printer according to the requirement of user.

Main Technical Parameters:

Cutting Frequeacy (Time/min)	6~50
Capacity (10thous pics/h)	3.5-23
Maxshapingareas and depth (mm)	240*150*26
Stroke (mm)	40-160 (can be manuractured as user's requirements)
StandardPlate (mm)	80*57 (can be manuractured as user's requirements)
Air Pressure (Mpa)	0.4-0.6, air supply>=0.3m ³ /min
Total power	380V/220V 50Hz 6.2kw
Pressure (kw)	42856
PVC hard pieces (mm)	0.15-0.5*250
PTP Aluminum Foil (mm)	0.02-0.035*250
Dialysis Paper (mm)	50-100g*250
Mould Cooling	tap water or back watwer
OverallDimensions (mm)	2900*720*1550 (L*W*H)
Weight (kg)	1600