

## *D-429CO Series Packing Machine*



D-429CO series machinery is for the particles, powder, sheet and other materials to achieve automatic packaging design of the two-row roller packaging machinery. The machine can be made to carry a long strip of paste.

### **Features:**

- The machine uses a single-stage hot roller device, while the realization of transverse seal and vertical seal of the packaging, sealing the use of roller sealing, pattern with a complete continuous chess plate pattern.
- Metering device can have a variety of options, such as metering disk mode, screw mode, a few tablets disk way.
- Cut the knife can be used flat knife, jagged, one-way one of the three ways.
- Variable frequency motor drive, to achieve the packaging speed within the rated range Promise adjustment.
- The series of packaging machines using PLC control touch screen display running status.
- Servo drive transverse sealing mechanism, to achieve bag length can be adjusted within the rated range Promise, bag length on the touch screen for digital settings; bag length adjustment is simple and convenient.
- Intelligent photoelectric color positioning control system, with the first bag automatic positioning function, can automatically exclude due to abnormal color patterns and poorly printed packaging materials caused by the interference signal, stable and reliable operation.

### **Technical characteristics and uses:**

Seasoning powder, sugar, coffee, milk powder, medicine and other powder materials.

Name	Content	Remarks
Bag length range	50-180mm	When the bag length is changed, it needs to be replaced
Bag width range	18-85mm	Change the width of the machine to be changed
Fill capacity	0.5-50ml	Select the appropriate measuring cup or screw according to the packing amount
Packaging speed	30-120Bag / min	Depending on the material and specifications
Power	about 0.75kw/AC380v	
Mechanical size	L1200mmW1000mmH1800mm	
Mechanical weight	ABOUT 450kg	
Adapt to packaging materials	PET/AL/PE、PET/PE、OPP/CPP...	
Packaging material parameters	Roll membrane diameter $\leq 400$ ; roll membrane diameter $\varphi 75$	
Standard feeding method	Screw metering device, metering plate metering device	Depending on the type of material
Standard cut mode	Flat knife, serrated knife, dotted knife	Three choose one
Optional device	Hot stamping device, printer	Order separately