

JCH-180

JCH-180 horizontal pre-made pouch packing machine

QUICK DESCRIPTION

Entry-level horizontal roll film bag packaging machine. Suitable for flat pouch, shaped flat pouch. Through different forms of feeders, it can be used in food, beverage, condiment, pharmaceutical, hardware and other industries.



TECHNICAL PARAMETER

| Model | 180N | 180NP | 180ND | 130N |
|----------------------|-----------------|-----------------|-----------------|-----------------|
| Min bag (W*H) | 75×85mm | 70×85mm | 70×90mm | 60×80mm |
| Max bag (W*H) | 180×225mm | 180×225mm | 90×180mm | 130×180mm |
| Max filling | 400ml | 400ml | 100ml | 160ml |
| Speed (ppm) | ≤70 | ≤60 | ≤140 | ≤70 |
| Film thickness | 60-140μ | 60-140μ | 70-130μ | 60-130μ |
| Max roll diameter | 500mm | 500mm | 500mm | 500mm |
| Inner roll diameter | 70-80mm | 70-80mm | 70-80mm | 70-80mm |
| Machine size (L*W*H) | 3500×970×1450mm | 4000×970×1450mm | 3500×970×1350mm | 2850×920×1460mm |
| Total weight | 900kg | 1000kg | 950kg | 800kg |
| Temperature Celsius | -10℃—+55℃ | -10℃—+55℃ | -10℃—+55℃ | -10℃—+55℃ |
| Relative humidity | ≤85% | ≤85% | ≤85% | ≤85% |
| Power voltage | AC380V、50Hz | AC380V、50Hz | AC380V、50Hz | AC380V、50Hz |
| Pressure | 0.6Mpa | 0.6Mpa | 0.6Mpa | 0.6Mpa |
| Air consumption | 200L/min | 300L/min | 300L/min | 100L/min |
| Power | 5Kw | 5.5Kw | 5.5Kw | 3.5Kw |

Optional machine



Multi-head Weigher

- Suitable for automatic measuring of granular&flakes&strip product like puffed food, potato chips, candy, biscuit, dried fruit,peanut, melon seeds,roasted nuts,dumplings, hardware parts, plastic parts



Volumetric cup feeder

- Suitable for automatic measuring of small granular materials and powder materials with well fluidity, such as granulated sugar, salt, seeds, seasoning and so on.



Auger filler

- Suitable for measuring the powder materials, such as milk powder, flour powder, protein powder and chemical powder.



Z shape Bucket elevator

- Applicable to the vertical lifting of granular materials, suitable for food, feed and chemical industries, with the advantages of less land area, large amount of lifting and high degree of lifting.

Optional machine

Screw conveyor

- Suitable for lifting powder materials, such as milk powder, flour powder, rice powder, starch, milk tea powder, protein powder and seasoning powder.



Linear Weigher

- It is suitable for packaging various powders and small particles with good flow or poor flowability and uniform density.

Quantitative filler

- Suitable for low viscosity fluid, paste and liquid filling. Such as laundry detergent, ketchup, cream, toothpaste, honey, oil and other products.



Rotor Pump Filling Machine

- Suitable for fluids or pastes with poor fluidity or solid particles. Such as meat sauce, chili sauce, jam and other products.

Optional machine



Vibrating bowl feeder

- Vibrating bowls are usually used in disorganized hard products, such as fasteners, auto parts, plastic parts, medical accessories, etc.



Inclined belt conveyor

- Suitable for materials which need mesh belt lifting, such as frozen food, preserved food, fruit and vegetables.