

## *A117 Orientated Wrap-around Labeling System with Turn-table*



The A117 uses an indexing turn-table to move and hold the bottles for rotation and is particularly suitable when fast process capacity is important.

Designed for wrap-around labeling at high speed of up to 130 bpm on bottles with orientation features; also capable of putting two labels on one bottle. Using an indexing turn-table for bottle holding, and 3 point rotation method, extra label alignment and registration precision as well as high speed operation are ensured.

- Special registration sensor to catch the orientation feature of the bottle precisely.
- Holding the bottle for rotation at 3 points to ensure alignment accuracy.
- Uses an indexing turn-table to move and hold the bottle for rotation and is particularly suitable when fast process capacity is important. Speed up to 130 bpm.
- Single label or dual label labeling Optional inspection and rejection functions for missing label, wrong label, wrong position, and missing or illegible date/batch codes etc.

- Various optional coding devices for synchronized coding: hot stamping, thermal transfer, inkjet, thermal inkjet etc.
- Integrated management of peripheral devices. Operation parameters, alarm signals of peripherals can be shown on the system control panel.

**Features:**

<b>Model</b>	<b>A117</b>
Name	Orientated Wrap-around Labeling System with Turn-table
Capacity	20-200pbm
Weight	300kg
Electricity	220VAC±10% 50Hz 1.3kW
Dimension (for reference)	(L)2,000×(W)1,100×(H)1,450 mm