


XW8300 Reciprocating Rotary Flow Packing Machine



XW8300 is a flow packing machine using reciprocating rotary track end sealing and cutting technology, with high speed, high precision and high stability characteristics. The machine has a simple design, stable operation and high precision, and is suitable for various types of products.

XW8300 reciprocating flow packing machine with high speed, high precision, high stability characteristics, the use of touch screen makes the operation more simple and intuitive, optimized operating height, and equipped with a transparent safety shield to provide noise protection, so that in the production process to have good visibility of the product, but also to meet the high standards of safety strict requirements. The design meets the specific requirements of the Good Manufacturing Practice (GMP) for hygiene, line headroom and validation.

Product Features

- Maximum capacity 300 packs/min
- Reciprocating rotary track end sealing and cutting
- Four-axis servo control
- PID automatic temperature control system
- PLC control system and Beckhoff industrial control screen CP3915 HMI screen
- Two-axis film supply, automatic film splicing without stopping
- GMP compliant design

Technical Data

Project		I.	Parameter
Capacity			30-300 packs/min
Width of Packing Film			80-350 mm
	Length		110-180 mm
Dimension of Package	Width		30-110 mm
	Height		5-50 mm
Power			15 kW
Power Three-Phase Five-Wire			380V/50Hz