

## *WP-1040 0.8L Compack Machine*



### **Main features:**

- 1) Compact design: Microcomputer scales and packaging machine unified operation, improve the weighing and packing speed.
- 2) High precision, small target weighing: Choose the best combination, high accuracy and high speed combination;
- 3) Simple high-speed operation: Microcomputer control, touch screen display, convenient operation and maintenance
- 4) Compact size: Unique one-piece structure, vastly reduces factory height requirement; is a great space-saver
- 5) Precise positioning: Servo control tension of film, tensions film for accurate positioning, Electric automatic tracking and trademark accurate locationing.
- 6) Quick return on investment: great savings on raw material and labor cost.

### **Main function:**

Completely automatic weighing, filling, film-pulling, bag-making, bag-punching (holing), printing, and quantity-counting.

### **Application:**

Dry & Processed Food, Fresh and Frozen Foods:  
Snack Food, Seeds, Nuts, Coffee (granules/ beans), Tea, Sugar, Grated Cheese, Bakery Products, Candies & Confectionery, Rice, Nuts & Dried Fruits, Spices, Pasta, Pet Food (pellets) etc.

| Model                    | WP-1040☆08  |
|--------------------------|---|
| Size                     | 10.4 inch touch screen                            |
| Weigh head nos.          | 10  |
| Weigh bucket volume      | 0.8L  |
| Hopper material          | 304 stainless steel (a=plain, b=dimpled)          |
| Single weighing range    | 10-500g   |
| Max. weight              | 1000g   |
| Weighing accuracy        | ±0.3g-1.5g  |
| Max width of roll film   | 400mm   |
| Bag width                | 60~190mm  |
| Bag length               | 50~230mm  |
| Packaging film materials | Complex film (Special materials need to be order) |
| Film drive power         | Servo Motor                                       |
| End seal power           | Cylinder  |
| Air consumption          | 0.3m <sup>3</sup> /min, 0.6MPa                    |
| Max.packing speed        | 60 bags/min                                       |
| Power                    | 4KW   |
| Frequency/Voltage        | 220V 50/60Hz (alternative)                        |
| NW. / GW.                | 500kg/600kg                                       |
| Package size/mm          | 1556×1366×2078                                    |

\* Note: The actual weighing & packing speed will be subject to various kinds of factors, like the product features, bag-making size, packing materials and filling speed, etc.

