# PACK LEADER

PL-252

CORNER WRAP & TAMPER PROOF LABELING MACHINE

# Specification Supply Voltage: 220/110 VAC 50/60 HZ 1 phase Power Consumption: 820 VA

- Dispensing Speed: 40 m/min max.
- Conveyor Speed: 40m/min max.
- Applicator Height: 80mm
- Label Size: 80mm x 300mm max.
- Spool Diameter: 76mm
- Dimension: 1700mm (L) x 950mm(W) x 1500mm(H)



# PL-252

### CORNER WRAP & TAMPER PROOF LABELING MACHINE

As part of Pack Leader's extraordinary portfolio of high-quality, versatile labeling machines, the PL-252 labeling system is able to accomplish the tamper evident and corner labeling efficiently. With its phenomenal speed and accuracy, PL-252 is the best choice for the pharmaceutical products, food, consumer goods, and cosmetic industries among others.

### Distinctive Design

The PL-252's dual-head design applies tamper evident labels on the edge of cartons in an L-type seal. With both labeling heads working simultaneously, this machine enables you to apply labels to both ends of your product in a single pass.

### Simple to Use

The built-in operating instructions and trouble-shooting guide offered on the operator interface, as well as hand wheels that provide for simple adjustments, enable guick set-up and easy changeover.

### Made to Last

In strict compliance with Good Manufacturing Practices (GMP) standards, the PL-252 is made of 304 stainless steel and anodized aluminum, and carefully treated to guard against the effects of harsher environments This durability trans into a solid choice to withstand three shift operations.

### **Flexible**

- For diverse product sizes and shapes, the PL-252 product sensor can be adjusted for various applications.
   With the manual position setting, your labels are placed accurately on the product, each and every time.
- The hot-foil printer controls allow for future upgrades if the need for a hot-foil printer arises. This integrated feature allows the hot-foil printer to work in sync with the labeler to ensure accurate code placement. The result is simplified label customization, which can easily be turned off or on.
- Depending on your needs, this machine can be used either for in-line automatic or semi-automatic applications.

### **Productive**

- The Production Preset function enables the machine to automatically stop once the pre-set quantity of products has been labeled.
- The Label Countdown feature allows you to see precisely how far along the project is as the production run progresses.
- The Container / Production Run Counter provides the total production number for the day.
- With the Touch-Screen Control System with Job Memory, you benefit from a battery-free microprocessor control system that can maintain default settings and memory even after the machine sits idle for a long period of time.

### **Practical**

- The PL-252 can easily and conveniently be moved to other production areas to allow for changing in production or products.
- The durability inherent with the PL-252 is due to its being made from 304 stainless steel and anodized aluminum, specially treated to guard against rusting and other effects from the harsher environments.
- The machine's height adjustable conveyor affords you exceptional convenience and flexibility.

### Compliant

The PL-252 is manufactured in compliance with Good Manufacturing Practices (GMP) standards, and according to strict ISO 9001 quality control procedures. Pack Leader's compliant labeling machine gives you a high comfort level as you undergo the required quarterly inspections from industry compliance auditors.

### PACK LEADER MACHINERY INC.

No. 60, 32nd. Rd. Taichung Industrial Park, Taichung 40768, Taiwan.

TEL: +886-4-23592366 FAX: +886-4-23592368 English Service Land Line: +886-4-2355-2168

Http://www.packleader.com E-mail: sales@packleader.com.tw

### PACK LEADER MACHINERY INC.

#141/5 "Lilavathi Smruthi Vihar" above Goa State Co-op bank Murdi, Cansaulim, Salcete Goa 403712 India

TEL: +91-832-322-1538 FAX: +91-832-288-4355 E-mail: pl-india@packleader.com.tw

## PACK LEADER USA, LLC 3951 E. 137th Terrace

Grandview, MO 64030 U.S.A.
TEL: 816-581-4330 FAX: 816-581-4338
Http://www.packleaderusa.com

E-mail: equipment@packleaderusa.com