

P_{rimaFill} CF 12

Capsule Filling Machine



Capsule Filling Machine

The **PrimaFill CF 12** Capsule Filling Machine is an intermittent motion, automatic hard gelatine capsule filler with an output of up to 12,000 capsules/hour, designed for filling hard gelatine capsules ranging in size from 0# to 4# with powder or pellets, size 00# & 5# are available as an option.




PrimaFill CF 12

Features:


- Up to 12,000 capsules/hour
- Contact parts made of 316L stainless steel
- Siemens PLC and touch screen control
- Enclosed main turn table avoid dust getting into mechanical parts.
- Vacuum cleaning station for segment cleanup in each cycle.
- Efficient capsule separation by means of vacuum.
- Automatic control for capsule and powder supply.
- Safety interlocked guarding
- Alarm for door open
- Alarm for lower level of powder
- Alarm for lower level of capsule
- Fast changeable of mould
- Build-In vacuum pump
- cGMP compliant
- CE Marked

Optionals:

- Pellet filling device



Dimensions:



Technical Data	PrimaFill CF 12
Number of stations	8
Number of segment bores	2
Application range	Capsule sizes: #0, #1, #2, #3, #4 (option #00, #5) Each size requires a set of capsule tooling.
Max. output (pellet filling)	3,000-8,500 Capsules/ h (actual speed depends on formulation characteristics, filled weight, capsule size .. etc)
Max. Output	6,000-12,000 Capsules / h (powder filling)
Power source	380/220V , 3 pH , 60/50 Hz
Power consumption	3kW
Machine dimensions	610(L) x680(W) x 1800(H) mm
Machine Weight	700 Kg (approx)

SaintyCo also offer:

Encapsulation Solutions

Tablet Compression Solutions

Coating Systems

Cartoning Systems

Blister Packing Solutions

