

Desktop Filling And Screwing Machine XQGX-30



Application:

1. It is widely used in precision, quantitative loading / dilution of pharmaceutical, pharmaceutical, food, chemical, cosmetic and other industries.

2. Pre-chromatography preparation, pharmaceutical QC and R&D, environmental monitoring, mineral and blood analysis, forensic identification.

3. Used for precise quantitative loading / dilution of blood, biological reagents, oral agents, injections, advanced cosmetics, flavors, fungicides and other liquids.

Characteristic

This equipment has been tested to meet the requirements of GMP certification.

1. Intelligent operation system is adopted.

2. The liquid-dividing part adopts high-purity ceramic pump, which controls the liquid-filling quantity of each circle by adjusting the angle of the pump head, and has high metering precision and repetitive consistency.

3. 304 stainless steel appearance, desktop structure, practical and convenient.

4. The capping part adopts pneumatic torsional screwing to ensure the tightness of the lid.

5. the machine adopts the way of fast mold installation, and it can be replaced conveniently between different bottle types.

6. The device adopts German sensor to achieve the functions of no filling without bottle, no capping without lids.

Technical parameters

Model	XQGX-30				
Pump head	High purity ceramics				
Filling accuracy	≦±0.25%				
Filling range	0.5-2ml	1.5-5ml	3-10ml	2-25ml	5-60ml
Manufacturing speed	0-25PCS/min				
Size of Host Machine	1230*780*600(mm)				
Power	AC 220V 50-60Hz 600W				
Air pressure	0.4-0.6Mpa				