

TB-80/TB-80D

LABELING MACHINE



AUTOMATIC LABELING MACHINE



Features:

- All mechanically operated desingwith all teansmisson mechanism inenclosed oil-bath thus wnsures smooth running quite. Low drive and teoublefree operations.
- Converyer load lower top surface and turn table made of stainless steel fordurability and ease in cleaning.
- Good for both individual operation and connection line.
- Small floor speac. Compact and easing movable with Casters.
- Most suitable for small standard of round bottle labeling in chemical.
- Pharmaceutical, food and beverage industries. The print unit can be added to the prodct according to the user need.



TB-80 Labeling Machine



TB-80D Double Head Labeling Machine

Technical Data	TB-80	TB-80D Double Head
Labeling Speed	80bottles/ Min(MAX)	80-160bottles/Min
Label width	40-110mm	25-60mm
Label long	50-130mm	25-100mm
Glue water	Polyvinyl acetate emulsion	Polyvinyl acetate emulsion
Maching size	2100mm(L)×950mm(W)×1000mm(H)	2270mm(L)×840mm(W)×910mm(H)
Power	Ac220V or 380V, 1.5KW	Ac220V or 380V, 1.5KW
Weight	550kgs	700kg

SaintyCo also offer:

Encapsulation Solutions

Tablet Compression Solutions

Coating Systems

Cartoning Systems

Blister Packing Solutions

