

Automatic rotatory fill machinery particularly for windshield washer liquids to stand bag CB-2000B



Introduction:

- Model CB-2000B is Automatic rotatory fill machinery particularly for windshield washer liquids to stand bag.
- It can packing any liquid such as juice yogurt, water, jelly, soymilk, cooking oil, liquid soap etc. Also used for the semi fluid, example tomato sauce, honey, fruit paste Jam etc.
- Fully automatic pouch supply, filling, cap supply, cap sorting, capping.
- It with five nozzles max packing speed 1200-15000bags/hour.5. International spare parts brand.

Specification:

 CB-2000B Automatic rotatory fill machinery particularly for windshield washer liquids to stand bag is used for any liquid's automatic bags supplying, filling and capping,

- such as juice, milk jam, yogurt, seasonings, food industry and medicine, daily chemical, pesticide ant other industries.
- Full function, rational structure, easy operation and maintenance. It conforms to food hygiene standard. This machine combines machine, electricity and air. Electric and pneumatic components adopt imported devices, reliable performance, long service life, convenient repair, and install leakage protection, protect personal safety.
- Standing spout pouch packing machine can do automatic pouch sending, rationed filling, spout cleaning, cap tidy and cover, cap screwing, end product discharging.
- The Spout Bag Filling Capping machine has
- Filling nozzles, and hot water storage tank, clean the spout well for jelly and other thick liquid. Ax packing speed is 5000 pouches per hour for 50ml-500ml; we can do the machine according to customer's production capacity.

Working process:

- Touch screen operation device;
- Fully automatic pouch supply;
- Photoelectric detection and tracking. No bag no filling device;
- Automatic quantitive filling:
- Fully automatic bag cleaning;
- Fully automatic cap supply;
- Fully automatic capping;
- Fully automatic bag dropping;
- Automatic control the liquid level;
- Emergency Stop device;
- Automatic CIP cleaning;
- Automatic Nitrogen Gas filling function(optional).



Technical Parameters:

国。	Model:	CB-2000B
Specification	Capacity:	1000-1500 Bags/hour(based on filling 2000ml-3000ml liquid)
	Filling nozzles	4 nozzles,double times filling
	Filling Range:	Depends on your filling volume 1000ml-3000ml 1000ml-5000ml
	Accuracy	+-1.5%
	Power:	380V, 50Hz 3 phase 2.5KW
	Weight:	1150KG
	Dimension:(L*W*H)	3750*2050*1700(mm)
	Air pressure	6-8Kgf/cm2
Functions	1. Pouch feeding	Load pouches automatically with sensor to check
	2. Quantitative filling	A. filling tank: 200 B. Filling outlets to connect pneumatic control valve C. All the material are made from SUS304,dairy grade SU
	3. Caps sorting	Food grade caps vibrator to sort the caps,high efficiency and quiet.
	4. Caps locking	Turning plate to lock the caps, lock time can be adjusted then adjust the tightness
	5.Output final products	Output by the conveyor,then connect with a lone conveyor(this is optional,above price not contain this)
	1. Delta PLC and touch screen with English language control the whole machine, more stable	
Machine	2.Bottom machine frame is made from U-steel, the up machine frame and also the parts an all SUS304	
advantages	3.All components are from world famous brands.all are reliable quality	
	4.Our machine is produced under the dairy products requirements, polish inside and oute side are all wonderful.	