



➔ Wet Glue Labelling Machines

➔ LABELWET-125 - Wet Glue Labelling Machines - Automatic Wet Glue Labelling Machine



[Layout](#)



[E-Catalog](#)



[Video](#)

A Long awaited Perfect Automatic Wet Glue Labelling Machine Model LABELWET-125 in completely STAINLESS STEEL FINISH to meet current market requirement for the products having very Long and Wide Labels and Large Sized Bottles/Containers.. LABELWET-125 is made for Labelling on many kind of round Bottles, Jars, Tins, Cans and other Cylindrical products used by Food, Beverage, Ayurvedic and other industries.

LABELWET-125 is Economical, Efficient and Reliable having more than 100 installations in India and Abroad in Food, Agro-Chemicals and Pesticide industries.

The machine also has Completely Stainless Steel Finish, No Bottle No Label system and No Label No Gluing system. Optionally A.C. Variable Speed Control, Pulse Counter, Safety Guard also available. The LABELWET-125 Model comes in two different version with suitability to most of requirement in Food and allied industries to match individual requirement of customer with their specification and speed.



BUILT-IN UNIQUE FEATURES :

- 30 to 50% Glue Saving on each Label due to Strip Gluing System
- No Label - No Gluing System eliminating wastage of Glue
- No Bottle - No Label System eliminating wastage of Labels
- Easy to Change Label Application height on Bottles
- Synchronized speed of Label application with Gluing and Bottle Feeding
- Easy Change over system with Low cost change parts
- Least Change over time for Bottle and Label Change Parts
- Suitable for any type of Grooved Surface of Product
- Suitable for Partial, Full Wrap Around and Overlap Labelling
- Fully Stainless Steel Finish Machine
- Glue Pump with Bucket for uninterrupted glue supply for Larger Labels.

OPTIONAL FEATURES :

- Digital Counter
- Safety Guard
- A. C. Variable Frequency Drive System
- Turn Table for Feeding and/or Collection of Bottles.
- Tower Light showing the machine status / operation
- Special Sensing system for checking missing label on product suitable for Labels with UV Ink or UV Coating
- Low Air - Machine Stop System



TECHNICAL SPECIFICATIONS :

Label Height :	30 mm to 155 mm* Both Version
Label Length :	100 mm to 325 mm* Standard Version and 50 mm to 200 mm Special Version
Product Diameter :	Up to 85 mm*
Glue :	Free Flowing Cold Dextrine Base Glue or other glue which does not create any fibres or threading during rotation, water soluble glue is required
Electrical :	415 VAC 3 Phase or 220 VAC 1 Phase Power Supply through A.C. Variable Frequency Drive System(50/60 Hz)
Power :	2 H.P.
Speed :	Up to 100 Labels per minute depending on Bottle and Label Size
Conveyor height :	830-875 mm*
Overall dimension :	1900 mm(L) X 900 mm(W) X 1300 mm (H)
Machine Direction of Movement :	Left to Right from operator side

* Specification can be changed as per customers requirements