

www.saintyco.com

Aluminum Foil Sealer



Aluminum Foil Sealer


The electro-magnetic induction aluminum foil sealing machine utilizes the principle of electro-magnetic induction to obtain hermetic sealing by making the surface of aluminum foil instantaneously heat to adhere tightly on mouth of bottle. The machine is suitable for sealing all types of products in many industries such as pharmaceutical, food, pesticide, petroleum, cosmetics, chemical and other applications to obtain the highest sealing quality to increase the shelve life of the products and for safety purposes.



FL-2000

Features:


- Up to:160 bottles/min.
- High quality stainless steel construction to meet cGMP standard.
- Panasonic variable drive motor and speed control.
- High operating efficiency and stable sealing.
- Most affordable automatic induction sealer in the industry.
- Composite aluminum foil for sealing is also produced.







Dimensions:



Technical Data	FL-2000	
Output	50-160 bottles/min	
Sealing Cap Diameter	Φ 16 - Φ 60 mm	
Cap Height	30-260mm	
Power Supply	1P AC 200V 50-60Hz 15A	
Power	2Kw	
Main Machine Dimensions(L×W×H)	600 ×450 ×1200 mm	400 × 600 ×1060mm
Weight	90kg	82kg

SaintyCo also offer:

Encapsulation Solutions

Tablet Compression Solutions

Coating Systems

Cartoning Systems

Blister Packing Solutions

