

## Wet Glue Labelling Machines

# ■ LABELWET-400.9 - Wet Glue Labelling Machines - Automatic High Speed Wet Glue Labelling Machine









Fully Automatic, High Speed Labelling Machine Model LABELWET-400 Version HL.9 in completely STAINLESS STEEL FINISH to meet current market requirement. LABELWET-400.9 is made for Labelling on many kind of round Bottles and other cylindrical products used by Pharmaceutical, Beverage, Food, Cosmetics, Ayurvedic, Breweries, Distilleries and other industries

LABELWET-400.9 is superfast, efficient and reliable having more than 50 installations in India and Abroad. The Speciality of the LABELWET-400.9 is its adopatability to suit your requirements.

The machine also has Completely Stainless Steel Finish, No Bottle No Label system, No Label No Gluing system and No Label No Coding System. Optionally A.C. Variable Speed Control, Pulse Counter, Safety Guard also available. The LABELWET-400 Model comes in various version for Vials with suitability to most of requirement in Pharmaceutical and allied industries to match individual requirement of customer with their specification and speed.

#### BROTHERS PHARMAMACH (INDIA) PVT. LTD.

Plot No.2, Phase II, GIDC, Vatva, Ahmedabad 382 445. (Gujarat) INDIA.

Phone: +91 79 40213213 / 25831346 / 29708139 Fax: +91 79 25835885

Email: brothers@usa.net, sales@brothers.in

#### Website

www.brothers.in www.ahl300.com www.labellingmachine.com www.ambicalabelling.com



## **BUILT-IN UNIQUE FEATURES:**

- 30 to 50% Glue Saving on each Label due to Strip Gluing System.
- No Label No Gluing System eliminating wastage of Glue
- No Vial / Bottle No Label System eliminating wastage of Labels
- No Label No Coding System eliminating wastage of Ink
- Built in online Coding System for printing B.No. Etc. Using Rubber Stereos and suitable ink for Labels to be provided by customer only
- Easy to Change Label Application height on Vials / Bottles
- Built in Vial Jamming Sensor to avoid damage/breackage to the Vials/Bottles at infeed
- Synchronized speed of Label application with Gluing, Printing and Vial/Bottle Feeding
- Fully Gear Drive System No Chain Drive
- Easy Change over system No Setting of Master or Cam for timing
- Least Change over time for Vial and Label Change Parts
- Suitable for any type of Grooved Surface of Product
- Suitable for Partial, Full Wrap Around and Overlap Labelling
- Fully Stainless Steel finish Machine

### **OPTIONAL FEATURES:**

- Digital Counter
- Safety Guard
- A. C. Variable Frequency Drive System
- Turn Table for Feeding and/or Collection of Vials / Bottles.
- Tower Light showing the machine status / operation
- Special Sensing system for checking missing label on product suitable for Labels with UV Ink or UV Coating
- Low Vaccum Machine Stop System



## TECHNICAL SPECIFICATIONS:

Label Height:	20 mm to 70 mm Standard*
Label Length :	45 mm to 110 mm Standard*
Bottle Size:	15 mm to 85 mm*
Glue:	Cold Dextrine Base Glue or other glue which does not create any fibres or threading during rotation, water soluble glue is required
Electrical:	415 VAC 3 Phase or 220 VAC 1 Phase Power Supply through A.C. Variable Frequency Drive System(50/60 Hz)
Power:	3 H.P. With One Vacuum Pump 4 H.P. With Two Vacuum Pump
Speed:	Up to 300 Labels per minute depending on Vial / Bottles and Label Size
Conveyor height:	830-875 mm*
Overall dimension :	2670 mm(L) X 960 mm(W) X 1100 mm (H)
Machine Direction of Movement :	Left to Right from operator side

<sup>\*</sup> Specification can be changed as per customers requirements

Note: This model previously known as a AHL-400