

Pouch Packaging Machine HW-1202/HW-1203/HW-1204



Features

- Film reels have quick release locks and micro-adjustment.
- Step-less speed control adjustment throughout the range.
- Pouch length is adjustable within the range, no need to change the parts.
- Equipped with a photocell made in Germany avoiding film-cutting error.
- Variety of feeding systems are available.

Pouch Size

- HW-1202 : L80~200mm x W30~120mm
- HW-1203 : L80~200mm x W30~120mm
- HW-1204 : L80~200mm x W30~120mm

Bag Range

- 1~60 g

Feeding System

- Fixed Volumetric Cup.
- Adjustable Volumetric Cup.
- Feeding Conveyor.
- Counting Disc.
- Piston filling for liquid.

Applicable Category

- Food Industry Category.
- Pharmaceutical and Medical Category.

- Beauty Care Classes.
- Hardware Category and Chemical Family.

Packaging Product


Powder And Granule Shape Items such as sugar, salt, pepper, tea, coffee, flour, oats, seeds, peanuts, spices (product), powder, screws, BB bombs...etc.

Liquid Items such as ketchup, salad dressing, fructose, lotion, lotion, shampoo, shower gel, etc. shampoo, and shower gel...etc.

Packaging Product Examples



Seal Type



Specification

Model	HW-1202	HW-1203	HW-1204
Packing Style	Pillow Type	3-side seal	4-side seal
Pouch Material	Any Laminated Heat Sealable, ex.PET/CPP, PET/OPP		
Pouch Size (Length)	80~200 mm		
Pouch Size (Width)	30~120 mm		
Operating Speed	30~50 Pouches/Min. (Depending on pouch size)		
Pouch Capacity	1~60g (Depending on product, film and pouch size)		
Power Supply	220V single phase 50/60HZ (3 phase as an option)		
Weight	Approx. 400 KG		

Optional Device

- stainless steel frame
- coder for printing date
- stirrer
- vibratory tank
- multi pack cutting device
- seal cut device with easy tear design for special shape