# Quantum

Wide swath, high resolution, fully-portable print system






TABLE 2 – MAXIMUM QUANTUM PRINT SPEED FOR 1 PRINT MODULE (4.25", 108 MM)					
PRINT SPEED	QUANTUM UV (30 KhZ)	QUANTUM AQUEOUS (40 KhZ)			
300	2.56 m/s (500 fpm)	3.39 m/s (660 fpm)			
600	1.27 m/s (250 fpm)	1.69 m/s (330 fpm)			
900	0.85 m/s (166 fpm)	1.13 m/s (220 fpm)			
1200	0.64 m/s (125 fpm)	0.84 m/s (165 fpm)			



The Buskro Quantum is a simple yet powerful piezo DOD inkjet printer which combines the proven Kyocera print technology with Buskro's established inkjet controller, Compose IQ software and TRUEFLOW fluid delivery expertise.


#### PORTABLE, PRECISE, PROVEN TECHNOLOGY

The Quantum is a fully featured print system that integrates the electronics, ink management, and print module subsystems into the body of the printer making it an industry leader in portability and flexibility. Four variable drop volumes as small as 3pl coupled with a 600X1200 DPI output capability makes the Quantum ideal for smaller, more intricate and precise print applications. Available in three different models: 4.25" (108mm) , 8.50" (216mm) or 12.75" (324mm), The Quantum print swath yields a wide print breadth resulting in crisp, even print for the most generous of images while achieving and sustaining print speeds up to 660 fpm (3.39 m/s).















## TRUEFLOW INK TECHNOLOGY

The Quantum print technology incorporates Buskro's proven TRUEFLOW active ink management system ensuring an adequate delivery of treated ink for even the most demanding of print jobs. By actively pumping, filtering and degassing the ink inside the print head, the Quantum offers reliable, continuous print at top production speeds while minimizing jet outs, operator maintenance and system downtime. And with a convenient snap-in ink bottle connection, on-the-fly ink replenishment is made easy.

#### FLEXIBLE INK FORMULATIONS

With a choice of aqueous or UV-curable inks, the Quantum can handle the most challenging substrates and produce crisp, high quality images on porous materials more commonly associated with document printing. Inks offered by Buskro include an

aqueous (Harris) and two UV-curable formulations (Bosch, Picart). Bosch is Buskro's general UV ink while Picart ink has been specially designed for card printing applications where good flow properties minimize the occurrence of image striation. Harris, the aqueous ink alternative, is designed for jobs where dark images on less-challenging porous substrates are a requirement.

### EASY OF USE AND MAINTENANCE

Utilizing a single electronic board design, compact ink delivery system and the inclusion of a LED status indicator, makes servicing and maintenance very user friendly. The visible LED status indicator, displaying variable colours for each printer state, alerts the operator to any common operating conditions present such as a low ink warning, normal status, error reporting and system updates.



#### **Quantum Specifications**

SYSTEM           Print Swath         4.25" (108 mm)         8.50" (216 mm)         12.75" (324           Dimensions (L, W, H)         L = 7.6" (195mm)         L = 11.4" (290mm)         L = 16.3" (W = 9.9" (252mm)         W = 16.1" (410mm)         H = 17.6" (448 mm)         H = 17.6" (48 mm)         H = 17.6" (48 mm)         1.76 mm         H = 17.6" (48 mm)         1.76 mm <th></th> <th></th> <th></th> <th></th>						
Dimensions (L, W, H)  L = 7.6" (195mm)	DESCRIPTION	4260	8560	12760		
Dimensions (L, W, H)  L = 7.6" (195mm) W = 9.9" (252mm) H = 17.6" (448 mm) H = 17.6" (448mm) H = 17.6"	SYSTEM					
W = 9.9" (252mm)	Print Swath	4.25" (108 mm)	8.50" (216 mm)	12.75" (324 mm)		
Vertical DPI 600 Print Speed @ 300DPI 3.39 m/s 2.54 m/s 1.76 m/s Horizontal DPI 300, 600, 900, 1200 Print Technology - UV Piezo - DOD, 4-level drops; 3, 7, 11, 14 pl Print Technology - aqueous Piezo - DOD, 3-level drops; 5, 7, 12 pl Mount BK230M, 2 X 30 mm Ø shaft, vertical release INK Ink Chemistry Aqueous, UV-Curable Ink Choice Bosch (UV), Picart (UV), Harris (aqueous) Ink Bottle 1000 ml, self-sealing Ink delivery Active management: pumped, filtered, de-gassed, menistrontrol c/w level-sensing  SOFTWARE/COMMUNICATION Inkjet control Software Compose IQ V11 or later Operating Windows Operator, Setup, Layout, Diagnostics, Job Options Read/print (OCR), Duplex (SIZ), combo (CBO), tracking (Toverification (VER), PDF support (PDF)  Text True-type; from 4 to 148 pt Graphics John, .jpg, .tif, .pcx, .wmf Barcodes Various postal, 1D, 2D Data Files .txt, .mdb, .dbf, .pdf, .ps, .xls, .lst, fixed, delimited, custon	Dimensions (L, W, H)	W = 9.9" (252mm)	W = 16.1" (410mm)	L = 16.3" (413mm) W = 21.9" (556mm) H = 17.6" (448mm)		
Print Speed @ 300DPI 3.39 m/s 2.54 m/s 1.76 m/s  Horizontal DPI 300, 600, 900, 1200  Print Technology - UV Piezo - DOD, 4-level drops; 3, 7, 11, 14 pl  Print Technology - aqueous Piezo - DOD, 3-level drops; 5, 7, 12 pl  Mount BK230M, 2 X 30 mm Ø shaft, vertical release  INK  Ink Chemistry Aqueous, UV-Curable  Ink Choice Bosch (UV), Picart (UV), Harris (aqueous)  Ink Bottle 1000 ml, self-sealing  Ink delivery Active management: pumped, filtered, de-gassed, menist control c/w level-sensing  SOFTWARE/COMMUNICATION  Inkjet control Software Compose IQ V11 or later  Operating Windows Operator, Setup, Layout, Diagnostics, Job  Options Read/print (OCR), Duplex (SIZ), combo (CBO), tracking (Toverification (VER), PDF support (PDF)  Text True-type; from 4 to 148 pt  Graphics John, .jpg, .tif, .pcx, .wmf  Barcodes Various postal, 1D, 2D  Data Files .txt, .mdb, .dbf, .pdf, .ps, .xls, .lst, fixed, delimited, custon	Weight	28.4 lbs (12.9 kg)	49.6 lbs (22.5 kg)	70.8 lbs (32.2 kg)		
Horizontal DPI 300, 600, 900, 1200  Print Technology - UV Piezo - DOD, 4-level drops; 3, 7, 11, 14 pl  Print Technology - aqueous Piezo - DOD, 3-level drops; 5, 7, 12 pl  Mount BK230M, 2 X 30 mm Ø shaft, vertical release  INK  Ink Chemistry Aqueous, UV-Curable Ink Choice Bosch (UV), Picart (UV), Harris (aqueous) Ink Bottle 1000 ml, self-sealing Ink delivery Active management: pumped, filtered, de-gassed, menistrontic of well-sensing  SOFTWARE/COMMUNICATION Inkjet control Software Compose IQ V11 or later Operating Windows Operator, Setup, Layout, Diagnostics, Job Options Read/print (OCR), Duplex (SIZ), combo (CBO), tracking (Toverification (VER), PDF support (PDF)  Text True-type; from 4 to 148 pt  Graphics John, .jpg, .tif, .pcx, .wmf  Barcodes Various postal, 1D, 2D  Data Files txt, .mdb, .dbf, .pdf, .ps, .xls, .lst, fixed, delimited, custon	Vertical DPI	600				
Print Technology - UV Piezo - DOD, 4-level drops; 3, 7, 11, 14 pl Print Technology - aqueous Piezo - DOD, 3-level drops; 5, 7, 12 pl Mount BK230M, 2 X 30 mm Ø shaft, vertical release  INK Ink Chemistry Aqueous, UV-Curable Ink Choice Bosch (UV), Picart (UV), Harris (aqueous) Ink Bottle 1000 ml, self-sealing Ink delivery Active management: pumped, filtered, de-gassed, menistrontrol c/w level-sensing  SOFTWARE/COMMUNICATION Inkjet control Software Operating Windows Operator, Setup, Layout, Diagnostics, Job Options Read/print (OCR), Duplex (SIZ), combo (CBO), tracking (The Verification (VER), PDF support (PDF)  Text True-type; from 4 to 148 pt Graphics John Jipg, .tif, .pcx, .wmf Barcodes Various postal, 1D, 2D  Data Files Ltxt, .mdb, .dbf, .pdf, .ps, .xls, .lst, fixed, delimited, custon	Print Speed @ 300DPI	3.39 m/s	2.54 m/s	1.76 m/s		
Print Technology - aqueous Piezo - DOD, 3-level drops; 5, 7, 12 pl  Mount BK230M, 2 X 30 mm Ø shaft, vertical release  INK  Ink Chemistry Aqueous, UV-Curable Ink Choice Bosch (UV), Picart (UV), Harris (aqueous) Ink Bottle 1000 ml, self-sealing Ink delivery Active management: pumped, filtered, de-gassed, menistrontrol c/w level-sensing  SOFTWARE/COMMUNICATION Inkjet control Software Compose IQ V11 or later Operating Windows Operator, Setup, Layout, Diagnostics, Job Options Read/print (OCR), Duplex (SIZ), combo (CBO), tracking (Toverification (VER), PDF support (PDF)  Text True-type; from 4 to 148 pt Graphics John, .jpg, .tif, .pcx, .wmf Barcodes Various postal, 1D, 2D Data Files .txt, .mdb, .dbf, .pdf, .ps, .xls, .lst, fixed, delimited, custon	Horizontal DPI	300, 600, 900, 1200				
Mount BK230M, 2 X 30 mm Ø shaft, vertical release  INK  Ink Chemistry Aqueous, UV-Curable Ink Choice Bosch (UV), Picart (UV), Harris (aqueous) Ink Bottle 1000 ml, self-sealing Ink delivery Active management: pumped, filtered, de-gassed, meniscontrol c/w level-sensing  SOFTWARE/COMMUNICATION Inkjet control Software Compose IQ V11 or later Operating Windows Operator, Setup, Layout, Diagnostics, Job Options Read/print (OCR), Duplex (SIZ), combo (CBO), tracking (TVerification (VER), PDF support (PDF)  Text True-type; from 4 to 148 pt Graphics John, Jipg, Jif, Jocx, Johnson Johnso	Print Technology - UV	Piezo - DOD, 4-level drops; 3, 7, 11, 14 pl				
INK  Ink Chemistry Aqueous, UV-Curable Ink Choice Bosch (UV), Picart (UV), Harris (aqueous) Ink Bottle 1000 ml, self-sealing Ink delivery Active management: pumped, filtered, de-gassed, meniscontrol c/w level-sensing  SOFTWARE/COMMUNICATION Inkjet control Software Compose IQ V11 or later Operating Windows Operator, Setup, Layout, Diagnostics, Job Options Read/print (OCR), Duplex (SIZ), combo (CBO), tracking (TVerification (VER), PDF support (PDF)  Text True-type; from 4 to 148 pt Graphics .bmp, .jpg, .tif, .pcx, .wmf Barcodes Various postal, 1D, 2D Data Files .txt, .mdb, .dbf, .pdf, .ps, .xls, .lst, fixed, delimited, custon	Print Technology - aqueous	Piezo - DOD, 3-level drops; 5, 7, 12 pl				
Ink Chemistry  Aqueous, UV-Curable  Ink Choice  Bosch (UV), Picart (UV), Harris (aqueous)  Ink Bottle  1000 ml, self-sealing  Ink delivery  Active management: pumped, filtered, de-gassed, menistron control c/w level-sensing  SOFTWARE/COMMUNICATION  Inkjet control Software  Compose IQ V11 or later  Operating Windows  Operator, Setup, Layout, Diagnostics, Job  Options  Read/print (OCR), Duplex (SIZ), combo (CBO), tracking (TVerification (VER), PDF support (PDF)  Text  True-type; from 4 to 148 pt  Graphics  John Jipg, .tif, .pcx, .wmf  Barcodes  Various postal, 1D, 2D  Data Files  Lixt, .mdb, .dbf, .pdf, .ps, .xls, .lst, fixed, delimited, custon	Mount	BK230M, 2 X 30 mm Ø shaft, vertical release				
Ink Choice  Bosch (UV), Picart (UV), Harris (aqueous)  Ink Bottle  1000 ml, self-sealing  Ink delivery  Active management: pumped, filtered, de-gassed, menis control c/w level-sensing  SOFTWARE/COMMUNICATION  Inkjet control Software  Compose IQ V11 or later  Operating Windows  Operator, Setup, Layout, Diagnostics, Job  Options  Read/print (OCR), Duplex (SIZ), combo (CBO), tracking (TVerification (VER), PDF support (PDF)  Text  True-type; from 4 to 148 pt  Graphics  John Jipg, .tif, .pcx, .wmf  Barcodes  Various postal, 1D, 2D  Data Files  .txt, .mdb, .dbf, .pdf, .ps, .xls, .lst, fixed, delimited, custon	INK					
Ink Bottle 1000 ml, self-sealing Ink delivery Active management: pumped, filtered, de-gassed, menis control c/w level-sensing  SOFTWARE/COMMUNICATION Inkjet control Software Compose IQ V11 or later Operating Windows Operator, Setup, Layout, Diagnostics, Job Options Read/print (OCR), Duplex (SIZ), combo (CBO), tracking (TVerification (VER), PDF support (PDF)  Text True-type; from 4 to 148 pt Graphics .bmp, .jpg, .tif, .pcx, .wmf Barcodes Various postal, 1D, 2D Data Files .txt, .mdb, .dbf, .pdf, .ps, .xls, .lst, fixed, delimited, custon	Ink Chemistry	Aqueous, UV-Curable				
Ink delivery  Active management: pumped, filtered, de-gassed, menistron control c/w level-sensing  SOFTWARE/COMMUNICATION  Inkjet control Software  Compose IQ V11 or later  Operating Windows  Operator, Setup, Layout, Diagnostics, Job  Options  Read/print (OCR), Duplex (SIZ), combo (CBO), tracking (Toverification (VER), PDF support (PDF)  Text  True-type; from 4 to 148 pt  Graphics  John Jipg, .tif, .pcx, .wmf  Barcodes  Various postal, 1D, 2D  Data Files  Ltxt, .mdb, .dbf, .pdf, .ps, .xls, .lst, fixed, delimited, custon	Ink Choice	Bosch (UV), Picart (UV), Harris (aqueous)				
control c/w level-sensing  SOFTWARE/COMMUNICATION  Inkjet control Software Compose IQ V11 or later  Operating Windows Operator, Setup, Layout, Diagnostics, Job  Options Read/print (OCR), Duplex (SIZ), combo (CBO), tracking (TVerification (VER), PDF support (PDF)  Text True-type; from 4 to 148 pt  Graphics .bmp, .jpg, .tif, .pcx, .wmf  Barcodes Various postal, 1D, 2D  Data Files .txt, .mdb, .dbf, .pdf, .ps, .xls, .lst, fixed, delimited, custon	Ink Bottle	1000 ml, self-sealing				
Inkjet control Software  Operating Windows  Operator, Setup, Layout, Diagnostics, Job  Options  Read/print (OCR), Duplex (SIZ), combo (CBO), tracking (TVerification (VER), PDF support (PDF)  Text  True-type; from 4 to 148 pt  Graphics  John Jipg, .tif, .pcx, .wmf  Barcodes  Various postal, 1D, 2D  Data Files  Long Various Layout, Diagnostics, Job  Nerating (TVER), PDF support (PDF)  Text  True-type; from 4 to 148 pt  John July Layout, Diagnostics, Job  Nerating (TVER), PDF support (PDF)  Text  True-type; from 4 to 148 pt  John July Layout, Diagnostics, Job  Nerating (TVER), PDF support (PDF)  Text  True-type; from 4 to 148 pt  John July Layout, Diagnostics, Job  Nerating (TVER), PDF support (PDF)	Ink delivery	Active management: pumped, filtered, de-gassed, meniscus control c/w level-sensing				
Operating Windows Operator, Setup, Layout, Diagnostics, Job Options Read/print (OCR), Duplex (SIZ), combo (CBO), tracking (TVerification (VER), PDF support (PDF) Text True-type; from 4 to 148 pt Graphics John Jipg, .tif, .pcx, .wmf Barcodes Various postal, 1D, 2D Data Files .txt, .mdb, .dbf, .pdf, .ps, .xls, .lst, fixed, delimited, custon	SOFTWARE/COMMUNICATI	ON				
Options  Read/print (OCR), Duplex (SIZ), combo (CBO), tracking (T Verification (VER), PDF support (PDF)  Text  True-type; from 4 to 148 pt  Graphics  .bmp, .jpg, .tif, .pcx, .wmf  Barcodes  Various postal, 1D, 2D  Data Files  .txt, .mdb, .dbf, .pdf, .ps, .xls, .lst, fixed, delimited, custon	Inkjet control Software	Compose IQ V11 or later				
Verification (VER), PDF support (PDF)  Text True-type; from 4 to 148 pt  Graphics .bmp, .jpg, .tif, .pcx, .wmf  Barcodes Various postal, 1D, 2D  Data Files .txt, .mdb, .dbf, .pdf, .ps, .xls, .lst, fixed, delimited, custon	Operating Windows	Operator, Setup, Layout, Diagnostics, Job				
Graphics .bmp, .jpg, .tif, .pcx, .wmf  Barcodes Various postal, 1D, 2D  Data Files .txt, .mdb, .dbf, .pdf, .ps, .xls, .lst, fixed, delimited, custon	Options	Read/print (OCR), Duplex (SIZ), combo (CBO), tracking (TRK), Verification (VER), PDF support (PDF)				
Barcodes Various postal, 1D, 2D Data Files .txt, .mdb, .dbf, .pdf, .ps, .xls, .lst, fixed, delimited, custon	Text	True-type; from 4 to 148 pt				
Data Files .txt, .mdb, .dbf, .pdf, .ps, .xls, .lst, fixed, delimited, custom	Graphics	.bmp, .jpg, .tif, .pcx, .wmf				
	Barcodes	Various postal, 1D, 2D				
code page support,a.a. copies, append custom duta	Data Files	.txt, .mdb, .dbf, .pdf, .ps, .xls, .lst, fixed, delimited, custom; Code page support; multi-copies; append custom data				



- » Piezo-DOD inkjet technology with resolutions up to 600x1200 DPI
- » Available in 3 models with precision alignment delivering seamless print:
  4.25" (108mm) 4260, 8.5"(216mm)
   8560, and 12.75" (324mm) 12760
- » Buskro inkjet controller c/w
   Compose IQ and supports up to 17"
   (432mm) of vertical print coverage
   @ 600 DPI
- » Available in aqueous (Harris) or UV curable (Bosch, Picart) formulations
- » Self-contained, portable unit with on-board ink bottle
- » Floating print module plate for automatic product-thickness adjustment minimizing product jams and maintaining optimal print height stand-off
- » High-visibility LED status indicator alerting operator for ink changes, printing status, and error conditions
- » Can be fully integrated with third party transports and presses for sheet and web printing
- » TRUEFLOW active ink management: ink degassing, purge pressure, ink tank vacuum control, and pumping
- On-the-fly ink bottle replacement with convenient connection to ink management system with a snap-in ink fitting

#### ABOUT BUSKRO

Founded in 1976, Buskro has evolved into an industry leader in the design and manufacture of high quality printing, tabbing/labelling and card processing equipment to meet a broad range of customer needs. Innovation is the key to everything we produce. Our approach of using the latest technology, along with an open architecture, allows our products to meet your current needs and adapt to your future requirements. Buskro equipment features heavy-duty construction from top to bottom, plus design details that promote years of trouble-free operation. Our commitment to

innovation has produced solutions that have not only set the standard, but raised the bar for over 40 years. Working with Buskro's global network of distribution partners, we take pride in providing quality service and support for all of our products, including our legacy technologies. When you consider your needs – the ones you face today and the unknown challenges of tomorrow, and then compare Buskro's total value proposition of price, flexibility, quality and durability... Buskro is hard to beat!

BUSKRO

Built for today | Designed for tomorrow



1-1738 Orangebrook Crt. Pickering, On Canada L1W 3G8



905-839-6018 · 1-888-8buskro sales@buskro.com · buskro.com 02/21/19