

# T-165EM

TABLETOP VACUUM SEALER FOR ELECTRONICS/INDUSTRIAL USE

T-165EM is an all stainless steel Table Top model with deep drawn vacuum chamber with rounded corners for optimum cleanliness and the least particle count. Transparent cover helps visual quality assurance. Sealing bars in the vacuum chamber are easy to remove for maintenance.

The deep chamber design gives you the flexibility in vacuum packing large profile products as well as the small, low profile items using a Space Filler that comes with the machine to adjust the net payload volume. 10 program capability offers the ultimate in process control.

## **QUICK FACTS**

TABLETOP SERIES MODEL

TRANSPARENT COVER FOR VISUAL QA



HIGHEST PRODUCTION THROUGHPUT SEALER



FOR MEDICAL, INDUSTRIAL AND ELECTRONICS APPLICATIONS

## T-165EM

TABLETOP VACUUM SEALER FOR INDUSTRIAL APPLICATIONS

## **Available Options**

#### **Gas injection**

After vacuum packing and before the bag is sealed, there is an option to add gas. This is often used to extend the shelf life, as extra protection for fragile products and to prevent discolouring of specific products.

#### Sensor control

Instead of the number of seconds, the required end vacuum is set in percentage (0 to 99%) with this sensor. The vacuum pump extracts air until the exact pre-set end vacuum has been reached. Regardless of the volume the pre-set end vacuum will always be reached.

#### Trim off Seal

Easily tear off the residual plastic bag with a trim off seal.

#### Top and Bottom Seal

Seal bars on both the inside of the lid and on the vacuum chamber.

#### 1-2 Trim off Seal

Consists of one 3.5 mm convex seal wire and one 1.1 mm round wire.

#### **Cushion Protection Control**

Precision Control System with 20 programs


**Product Specs and Applications** 

## Contact us to learn more about this and any other product in our series

The robust, stainless steel AMAC T-165EM vacuum packer is standard equipped with a Busch vacuum pump. The machine complies with CE standards and ETL listed as an option.

Specifications Table	
Machine Dimensions (L x W x H)	20 ¾ x 18 ‰ x 17 ‰" (520 x 480 x 450 mm)
Chamber Dimensions (L x W x H)	14 ½ x 16 ½ x 7" (370 x 420 x 180 mm)
Seal Bar Length	16 ½" (420 mm)
Weight	137 lbs. (62 kg)
Vacuum Pump Capacity	14.71 CFM (25 m 3/hr)
Machine Cycle	15-35 sec.
Standard Power Requirement	110V-1-60HZ 0.75-1.0 kw

### **Seal Bar Configurations**



[AMAC's machines are] fast and robust vacuum packing machines

with a world-wide reputation.

Accessories

**Additional Features** 

Flexible for various-size productMade of stainless steel

Optimal hygiene and low particle countsRobust table top chamber machine

All features available

in the series

· Filler plates for faster cycle & adjusting seal height

Filler plates
Service kit

02

